

PROFESSIONAL PARTS & EQUIPMENT

PRODUCT CATALOGUE 2026

Commercial-grade components for bungee trampoline operators.
Built for professionals. Trusted worldwide.

JUMPER BUNGEE JUMPING HARNESS
COMFORT. PERFORMANCE.

A new standard of safety and comfort with edge bungee jumping harness. Equipped with Australian fasteners certified by TÜV ensures exceptional durability and is opening and closing for quicker jumper 1 higher throughput.

AUSTRALIAN PIN FASTENERS
Certified by TÜV for maximum safety and ultra-fast operation.

ERGONOMIC DESIGN
Ergonomic design eliminates finger pain when after dozens of fastenings.

COMFORT & FUNCTION
Comfortable sponges for a better fit and an integrated handle for quick and easy removal.

ADDITIONAL HARNESS FEATURES:
- All hand number
- Non-date
- Easy to use instructions
- Good durability
- Ideal for professional commercial use

AVAILABLE SIZES AND COLORS

XS RED	S BLUE	M BLACK	L GREEN
MIN HARNESS: 60 cm	MIN HARNESS: 72 cm	MIN HARNESS: 78 cm	MIN HARNESS: 90 cm
MAX HARNESS: 82 cm	MAX HARNESS: 88 cm	MAX HARNESS: 107 cm	MAX HARNESS: 120 cm

MAXIMUM SAFETY
Proven components for professional use.

FAST & EFFICIENT
Quick changes mean more happy customers.

PREMIUM QUALITY
Built to meet the most demanding conditions.

FULL TRACEABILITY
Start for instructions and product info.

BUILT FOR PROFESSIONALS. TRUSTED WORLDWIDE.

FOR BUNGEE TRAMPOLINE SERIES
SUITABLE FOR SYSTEMS 6M TO 8M HIGH

Experience unmatched jump dynamics with our premium latex bungee cords. Designed for maximum elasticity and instant response - perfect for delivering excitement and thrills with every jump.

DIAMETER 13MM
LENGTH 180CM (APPROX.)

DESIGNED FOR BUNGEE SYSTEMS FROM 6 METERS TO A MAXIMUM OF 8 METERS

SUPERIOR ELASTICITY
Maximum stretch and instant response for higher, smoother jumps.

EXCITING JUMP DYNAMICS
Provides exceptional bounce and a thrilling experience.

EASY INSTALLATION
Equipped with fabric loops - ready to attach with a carabiner.

PROFESSIONAL QUALITY
Made from high-quality latex for performance you can rely on.

PERFECT COMPATIBILITY
Designed for bungee trampolines from 6m to 8m high.

PRODUCT FEATURES

- ✓ 16 latex cords in one set
- ✓ Diameter: 13mm
- ✓ Length: approximately 180cm

IMPORTANT INFORMATION
⚠ Latex cords offer outstanding elasticity, but they may require more frequent replacement (even monthly) depending on usage.

ROPE & CARABINERS
COMPLETE SET FOR 1 JUMPING PLACE

Professional set of high-strength ropes, pulleys and carabiners designed for Eurobungee systems. Ready to use - safe, reliable and built for intensive commercial operation.

COMPLETE SET
Includes ropes, pulleys and screw-lock carabiners.

MAXIMUM SAFETY
All components tested for the highest safety standards.

HIGH STRENGTH
10 mm rope - strong, durable and made for extreme loads.

QUICK & EASY SETUP
Ready to use and simple to install.

SET CONTENTS

- HIGH QUALITY ROPE**
 - Diameter: 10 mm
 - Material: Polyester cover with high-strength core
 - High elasticity
 - Built for Eurobungee
- PULLEYS**
 - Heavy-duty stainless steel pulleys
 - Smooth operation
 - High load capacity
 - Corrosion resistant
- SCREW-LOCK CARABINERS**
 - Stainless steel
 - Screw-lock mechanism for maximum security
 - High breaking strength

1200 W POWER

A strong and reliable electric winch designed specifically for bungee jumping systems. Built for smooth lifting, stable performance and daily commercial use.

POWERFUL 1200 W MOTOR
Strong performance for professional bungee trampoline operation.

SMOOTH & STABLE OPERATION
Ensures smooth lifting and lowering with reliable control.

RELIABLE EVERY DAY
Built for regular use in amusement parks, rental businesses and event operations.

PERFECT FIT
Compatible with Eurojumper bungee trampoline systems and other setups.

TECHNICAL DATA

Voltage	230 V
Pulling rate with a single rope	300 kg
Pulling rate with a double rope	600 kg
Pulling height	12 m / 6 m
Brake	Automatic
Turn-off switches	Limit switches and emergency switches
Remote control	Controlling up and down
Weight	17 kg

IDEAL FOR

- Amusement parks and family entertainment centres
- Rental companies and mobile operators
- Events, fairs and promotions
- Replacement or upgrade solution to reduce downtime

CONTENTS

Premium product range for professional bungee trampoline systems

01	Product range overview	03	07	Latex bungee cord sets	13
02	Harness systems	04	08	Rope sets with pulleys & carabiners	14
03	Harness technology & traceability	05	09	Winch rope	15
04	Harnesses XS / S / M / L	07	10	Professional electric winch	16
05	Braided bungee cords	11	11	Carabiners, swivels & attachments	17
06	Elastic cord in rolls	12	12	Compatibility support & contact	20

OPERATOR SUPPORT

Send photos of your system. Eurojumper can confirm compatibility and recommend the correct parts.

PREMIUM PARTS & EQUIPMENT

FOR PROFESSIONAL BUNGEE TRAMPOLINES

Built for operators. Trusted worldwide.



HARNESSES



**16-PIECE
LATEX CORD SET**

- ✓ 13 mm diameter
- ✓ 180 cm length
- ✓ Premium elasticity
- ✓ Built to last



BUNGEE CORDS

- ✓ High elasticity
- ✓ Strong & durable
- ✓ Multi-strand braiding
- ✓ Different diameters



ROPE SETS

- ✓ 10 mm premium rope
- ✓ Pulleys & carabiners
- ✓ Screw-lock safety
- ✓ Ready to install



WINCH ROPE

- ✓ 8 mm diameter
- ✓ 9 meters length
- ✓ With carabiner
- ✓ High strength



SWIVEL CONNECTOR

- ✓ Anti-twist design
- ✓ 360° rotation
- ✓ CE certified
- ✓ 23 kN strength



**PROFESSIONAL
ELECTRIC WINCH**

- ✓ 1200 W power
- ✓ 300 / 600 kg capacity
- ✓ Smooth & stable
- ✓ Built for daily use
- ✓ Perfect fit for bungee trampoline systems



COMMERCIAL GRADE

Built for intensive daily operation.



FULL TRACEABILITY

Harnesses with serial number and production data.



PREMIUM COMPONENTS

Selected high-quality European parts.



FAST REPLACEMENT

Reduce downtime with ready-to-ship parts.



COMPATIBILITY SUPPORT

Send photos, we confirm fit within 24h.



USED WORLDWIDE

Trusted by operators in 20+ countries.



HARNESSES



BUNGEE CORDS



LATEX CORD SETS



ROPE SETS



WINCHES



CARABINERS
& SWIVELS



NEED REPLACEMENT PARTS?

Send us photos of your system — we confirm compatibility within 24h.



CONTACT US

HARNESS SYSTEMS

EUROJUMPER
BUNGEE TRAMPOLINE SYSTEMS

SAFETY. COMFORT. PERFORMANCE.



- ✓ Individual serial number
- ✓ Production date
- ✓ QR access to user instructions
- ✓ Full product traceability
- ✓ Designed for professional commercial use



The image displays four sets of dog harnesses, each labeled with a size and color: XS RED, S BLUE, M BLACK, and L GREEN. Each set consists of a main harness and two leg straps. The harnesses are made of black fabric with colored accents (red, blue, or green) on the straps and buckles. Each harness has a label with a QR code and the text 'Dog Harness' and 'Size XS S M L'. The leg straps also have buckles and are attached to the main harness.

MAX HARNESS
120 cm

FULL TRACEABILITY
Scan for instructions
and product info.

EUROJUMPER PRODUCT CATALOGUE 2026

EUROJUMPER

MAXIMUM SAFETY. TOTAL CONTROL.

Equipped with AUSTRIALPIN COBRA®
Pro Style buckle – trusted by professionals
in rescue, military and industrial
applications worldwide.



QUICK RELEASE

One-hand operation for fast
and secure release when
it matters.



ACCIDENTAL OPENING PROTECTION

Secure locking mechanism
prevents unintended release.



BUILT TO ENDURE

High-strength aluminium
construction for maximum
durability and reliability.



CE CERTIFIED EN 12277

Certified safety
equipment



COMMERCIAL GRADE

Designed for intensive
daily use



HIGH STRENGTH 18kN / 9kN

Tested for high
load capacity



MADE IN EUROPE

Premium quality
from trusted
European suppliers



TRUSTED BY PROFESSIONALS

Used in rescue, military
and industrial sectors

AUSTRIALPIN COBRA® PRO STYLE

PREMIUM SAFETY BUCKLE

Trusted by military, rescue and industrial professionals worldwide.

 **MADE IN AUSTRIA**

 **QUICK RELEASE SYSTEM**

 **SECURE LOCKING MECHANISM**



INDIVIDUALLY TRACEABLE

Every harness features a unique serial number for inspections, maintenance records and complete product traceability.

-  CE CERTIFIED
-  UNIQUE SERIAL NUMBER
-  PRODUCTION DATE



REINFORCED STITCHING

Engineered Box-X stitching distributes load evenly and delivers exceptional durability in daily commercial operation.

-  HIGH-STRENGTH WEBBING
-  REINFORCED LOAD ZONES
-  BUILT FOR YEARS OF OPERATION



 **CE CERTIFIED**
EN 12277

 **AUSTRIALPIN**
COMPONENTS

 **MADE IN**
EUROPE

 **COMMERCIAL**
GRADE

 **PROFESSIONAL**
EQUIPMENT

PROFESSIONAL BUNGEE JUMPING HARNESS

SAFETY. COMFORT. PERFORMANCE.

Discover the new standard of safety and comfort with our cutting-edge bungee jumping harness. Equipped with innovative Austrialpin fasteners certified by TÜV, our harness ensures exceptional durability and lightning-fast opening and closing for quicker jumper changes and higher throughput.

AUSTRIALPIN COBRA® FASTENERS
TÜV-certified aluminium buckles for maximum safety and ultra-fast operation.

BIG CLIPS BUTTONS
Large ergonomic release tabs for fast, comfortable operation.

REINFORCED LOAD-BEARING STITCHING
High-strength Box-X stitching designed for intensive commercial use.

COMFORTABLE PADDING
Wide padded waist and leg supports for all-day operator comfort.

FULL PRODUCT TRACEABILITY

- ✓ Individual serial number
- ✓ Production date
- ✓ QR access to user instructions
- ✓ CE marking
- ✓ Designed for professional commercial use



XS
EXTRA SMALL

MIN HARNESS

60 cm



MAX HARNESS

82 cm

MEASURED AROUND THE WAIST BELT OUTER CIRCUMFERENCE



MAXIMUM SAFETY
Proven components for professional use.



FAST & EFFICIENT
Quick changes mean more happy customers.



PREMIUM QUALITY
Built to last in the most demanding conditions.



FULL TRACEABILITY
Scan for instructions and product info.

**AVAILABLE SIZES
AND COLORS**

XS RED



S BLUE



M BLACK



L GREEN



ALL HARNESSES ARE INDIVIDUALLY IDENTIFIED FOR INSPECTION, MAINTENANCE AND OPERATIONAL SAFETY CONTROL.

BUILT FOR PROFESSIONALS. TRUSTED WORLDWIDE.

PROFESSIONAL BUNGEE JUMPING HARNESS

SAFETY. COMFORT. PERFORMANCE.

Discover the new standard of safety and comfort with our cutting-edge bungee jumping harness. Equipped with innovative Austrialpin fasteners certified by TÜV, our harness ensures exceptional durability and lightning-fast opening and closing for quicker jumper changes and higher throughput.



AUSTRIALPIN COBRA® FASTENERS

TÜV-certified aluminium buckles for maximum safety and ultra-fast operation.



BIG CLIPS BUTTONS

Large ergonomic release tabs for fast, comfortable operation.



REINFORCED LOAD-BEARING STITCHING

High-strength Box-X stitching designed for intensive commercial use.



COMFORTABLE PADDING

Wide padded waist and leg supports for all-day operator comfort.



FULL PRODUCT TRACEABILITY

- ✓ Individual serial number
- ✓ Production date
- ✓ QR access to user instructions
- ✓ CE marking
- ✓ Designed for professional commercial use



S
SMALL

MIN HARNESS

72 cm



MAX HARNESS

88 cm

MEASURED AROUND THE WAIST BELT OUTER CIRCUMFERENCE



MAXIMUM SAFETY
Proven components for professional use.



FAST & EFFICIENT
Quick changes mean more happy customers.



PREMIUM QUALITY
Built to last in the most demanding conditions.



FULL TRACEABILITY
Scan for instructions and product info.

AVAILABLE SIZES AND COLORS

XS

RED



S

BLUE



M

BLACK



L

GREEN



ALL HARNESSES ARE INDIVIDUALLY IDENTIFIED FOR INSPECTION, MAINTENANCE AND OPERATIONAL SAFETY CONTROL.



NEED REPLACEMENT PARTS?

Send us photos of your system – we confirm compatibility within 24h.

CONTACT US

BUILT FOR PROFESSIONALS. TRUSTED WORLDWIDE.

PROFESSIONAL BUNGEE JUMPING HARNESS

SAFETY. COMFORT. PERFORMANCE.

Discover the new standard of safety and comfort with our cutting-edge bungee jumping harness. Equipped with innovative Austrialpin fasteners certified by TÜV, our harness ensures exceptional durability and lightning-fast opening and closing for quicker jumper changes and higher throughput.



AUSTRIALPIN COBRA® FASTENERS

TÜV-certified aluminium buckles for maximum safety and ultra-fast operation.



BIG CLIPS BUTTONS

Large ergonomic release tabs for fast, comfortable operation.



REINFORCED LOAD-BEARING STITCHING

High-strength Box-X stitching designed for intensive commercial use.




COMFORTABLE PADDING

Wide padded waist and leg supports for all-day operator comfort.



FULL PRODUCT TRACEABILITY

- ✓ Individual serial number
- ✓ Production date
- ✓ QR access to user instructions
- ✓ CE marking
- ✓ Designed for professional commercial use



M
MEDIUM

MIN HARNESS

78 cm



MAX HARNESS

107 cm

MEASURED AROUND THE WAIST BELT OUTER CIRCUMFERENCE



MAXIMUM SAFETY

Proven components for professional use.



FAST & EFFICIENT

Quick changes mean more happy customers.



PREMIUM QUALITY

Built to last in the most demanding conditions.



FULL TRACEABILITY

Scan for instructions and product info.

AVAILABLE SIZES AND COLORS

XS RED



S BLUE



M BLACK



L GREEN



ALL HARNESSES ARE INDIVIDUALLY IDENTIFIED FOR INSPECTION, MAINTENANCE AND OPERATIONAL SAFETY CONTROL.



NEED REPLACEMENT PARTS?

Send us photos of your system – we confirm compatibility within 24h.

CONTACT US

PROFESSIONAL BUNGEE JUMPING HARNESS

SAFETY. COMFORT. PERFORMANCE.

Discover the new standard of safety and comfort with our cutting-edge bungee jumping harness. Equipped with innovative Austrialpin fasteners certified by TÜV, our harness ensures exceptional durability and lightning-fast opening and closing for quicker jumper changes and higher throughput.



AUSTRIALPIN COBRA® FASTENERS

TÜV-certified aluminium buckles for maximum safety and ultra-fast operation.



BIG CLIPS BUTTONS

Large ergonomic release tabs for fast, comfortable operation.



REINFORCED LOAD-BEARING STITCHING

High-strength Box-X stitching designed for intensive commercial use.



COMFORTABLE PADDING

Wide padded waist and leg supports for all-day operator comfort.



FULL PRODUCT TRACEABILITY

- ✓ Individual serial number
- ✓ Production date
- ✓ QR access to user instructions
- ✓ CE marking
- ✓ Designed for professional commercial use



MIN HARNESS

90 cm



MAX HARNESS

120 cm

MEASURED AROUND THE WAIST BELT OUTER CIRCUMFERENCE



MAXIMUM SAFETY

Proven components for professional use.



FAST & EFFICIENT

Quick changes mean more happy customers.



PREMIUM QUALITY

Built to last in the most demanding conditions.



FULL TRACEABILITY

Scan for instructions and product info.

AVAILABLE SIZES AND COLORS

XS

RED



MIN
60 cm

MAX
82 cm

S

BLUE



MIN
72 cm

MAX
88 cm

M

BLACK



MIN
78 cm

MAX
107 cm

L

GREEN



MIN
90 cm

MAX
120 cm



ALL HARNESSES ARE INDIVIDUALLY IDENTIFIED FOR INSPECTION, MAINTENANCE AND OPERATIONAL SAFETY CONTROL.

BUILT FOR PROFESSIONALS. TRUSTED WORLDWIDE.

HARNESS CARABINER ATTACHMENT

Reinforced attachment loop designed to secure the carabiner and ensure maximum safety and durability.



SECURE CONNECTION

Keeps the carabiner in place and prevents unwanted movement.



HIGH-STRENGTH WEBBING

Made from premium, wear-resistant materials for long service life.



REINFORCED & STITCHED

Extra reinforcement and industrial stitching for maximum strength.



COMPATIBLE WITH

All standard carabiners used in bungee trampoline harness systems.

TECHNICAL SPECIFICATIONS

MATERIAL	High-strength polyester
CONSTRUCTION	Reinforced loop
STITCHING	Industrial grade
COMPATIBILITY	Standard carabiners
COLOR	Black
USE	Bungee trampoline harness systems

BUILT FOR SAFETY. MADE TO LAST.

Designed for commercial use in bungee trampoline operations where reliability is critical.



STRONG & RELIABLE
Built to withstand high forces.



PREMIUM QUALITY
Durable materials and craftsmanship.



EASY & SECURE
Quick connection for safe operation.



MAXIMUM SAFETY
Ensures secure connection between harness and carabiner.



DURABLE DESIGN
High-strength webbing and stitching for long service life.



RELIABLE PERFORMANCE
Designed for daily use in demanding commercial environments.



UNIVERSAL FIT
Compatible with all standard carabiners and harnesses.

EUROJUMPER

PREMIUM BUNGEE CORDS

**BUILT FOR PERFORMANCE.
BUILT TO LAST.**

High-quality elastic cords designed for commercial bungee trampoline systems and intensive daily use.



HIGH ELASTICITY

Excellent stretch and recoil properties for smooth and safe jumps.



EXCEPTIONAL DURABILITY

Braided with premium materials for maximum strength and long service life.



SAFE & RELIABLE

Engineered to meet the highest safety standards for commercial operations.



PROTECTIVE SHEATH

Durable outer sheath for added protection and abrasion resistance.



BUILT FOR DAILY USE

Tested for intensive use in amusement parks, events and rental operations.



1 ELASTIC = **6 kg**

1 SET
14
PIECES

CONSISTENT PERFORMANCE

Each cord is carefully manufactured and inspected to ensure consistent quality and reliability.

10 mm
High quality
Elastic



QUALITY YOU CAN TRUST

Used by operators worldwide who demand the best for their customers.



HIGH STRENGTH

Engineered for maximum load capacity



TESTED & TRUSTED

Rigorously tested for safety and performance



LONG SERVICE LIFE

Built to withstand thousands of jumps



LOW MAINTENANCE

Reliable materials that reduce wear and downtime



USED WORLDWIDE

Trusted by parks and rental companies in 20+ countries

ELASTIC CORD IN ROLLS

FOR EUROBUNGEE SYSTEMS

High-quality elastics for eurobungee in meters – 10 mm diameter.



HIGH QUALITY MATERIAL

Natural latex core with high elasticity and long life.



SAFE & RELIABLE

Tested for strength and maximum performance.



SOLD BY THE METER

Order exactly the length you need. Easy to cut and install.



BUILT FOR COMMERCIAL USE

Designed for intensive daily operation.



10 mm
HIGH QUALITY
ELASTIC



1 ELASTIC = 6 kg

Tested breaking load per single elastic.

DIAMETER	10 mm
CORE	Natural latex, threads count 20 – 60 threads
COVER / COAT	24 x 8 x 167dtex PES
ELASTICITY	ca. 250 %
BREAKING LOAD	Rupture occurs at 140 daN* (per single elastic)
COLOR	Black with yellow tracer
TARICNUMBER	56041000

- ✓ Smooth and durable cover
- ✓ High flexibility and strong rebound
- ✓ UV and weather resistant
- ✓ Perfect for Eurobungee systems



IMPORTANT

Rupture occurs at 140 daN per single elastic. This does not result in a complete severance, allowing the **raw rubber core** to absorb additional forces.



DATA SHEET

Every production is controlled according to these specifications. This data sheet is permanent valid.



WORKS CERTIFICATE

According to DIN EN 10204 3.1B

Issued by an independent representative



PREMIUM QUALITY
High quality materials, built to last.



TESTED & CERTIFIED
Independently tested for safety and strength.



TRUSTED WORLDWIDE
Used in 20+ countries by professionals.



FAST DELIVERY
Quick shipping to reduce downtime.

BUILT FOR PROFESSIONALS. TRUSTED WORLDWIDE.

EUROJUMPER
BUNGEE TRAMPOLINE SYSTEMS

LATEX BUNGEE CORD SET

16 PCS – 13MM × 180CM
FOR BUNGEE TRAMPOLINES

SUITABLE FOR SYSTEMS
6M TO 8M HIGH

Experience unmatched jump dynamics with our premium latex bungee cords. Designed for maximum elasticity and instant response – perfect for delivering excitement and thrills with every jump.



16
PCS/SET

DIAMETER
13MM

LENGTH
180CM
(APPROX.)

DESIGNED FOR BUNGEE SYSTEMS
FROM **6** METERS TO A MAXIMUM OF **8** METERS



SUPERIOR ELASTICITY

Maximum stretch and instant response for higher, smoother jumps.



EXCITING JUMP DYNAMICS

Provides exceptional bounce and a thrilling experience.



EASY INSTALLATION

Equipped with fabric loops – ready to attach with a carabiner.



PROFESSIONAL QUALITY

Made from high-quality latex for performance you can rely on.



PERFECT COMPATIBILITY

Designed for bungee trampolines from 6m to 8m high.

PRODUCT FEATURES

- ✓ 16 latex cords in one set
- ✓ Diameter: 13mm
- ✓ Length: approximately 180cm
- ✓ Ready-to-use with reinforced loops
- ✓ Quick attachment with carabiners
- ✓ Ideal for bungee trampolines 6m to 8m high



IMPORTANT INFORMATION

Latex cords offer outstanding elasticity, but they may require more frequent replacement (even monthly) depending on usage and environmental conditions. This is a natural characteristic of latex material and does not affect its excellent performance.



COMMERCIAL USE TESTED

Built for professional amusement operations.



QUALITY MATERIALS

High-grade latex for optimal performance.



EASY MAINTENANCE

Replace cords quickly and keep your attraction running.



USED WORLDWIDE

Trusted by operators in over 20 countries.



NOT SURE IF IT FITS YOUR SYSTEM?

Send us photos – we confirm compatibility within 24h.



CONTACT US

We are here to help!

BUILT FOR PROFESSIONALS. TRUSTED WORLDWIDE.

ROPE SET WITH PULLEYS & CARABINERS

COMPLETE SET FOR 1 JUMPING PLACE

Professional set of high-strength ropes, pulleys and carabiners designed for Eurobungee systems. Ready to use – safe, reliable and built for intensive commercial operation.



COMPLETE SET

Includes ropes, pulleys and screw-lock carabiners.



MAXIMUM SAFETY

All components tested for the highest safety standards.



HIGH STRENGTH

10 mm rope – strong, durable and made for extreme loads.



QUICK & EASY SETUP

Ready to use and simple to install.



ROPE
10
MM

SET CONTENTS



HIGH QUALITY ROPE

- Diameter: 10 mm
- Material: Polyester cover with high-strength core
- High elasticity
- Built for Eurobungee systems



PULLEYS

- Heavy-duty stainless steel pulleys
- Smooth operation
- High load capacity
- Corrosion resistant



SCREW-LOCK CARABINERS

- Stainless steel
- Screw-lock mechanism for maximum security
- High breaking strength
- Corrosion resistant



HOW MANY SETS DO YOU NEED?

Each set is for 1 jumping place.

If the device has for example 4 stations: 4 sets are needed.



1 SET



2 SETS



3 SETS



4 SETS

BUILT FOR PROFESSIONALS

- ✓ Designed for commercial use
- ✓ Recommended by Eurojumper experts
- ✓ Regularly inspected and maintained
- ✓ Reliable performance jump after jump



PREMIUM QUALITY
Built to last.



TESTED & CERTIFIED
For your safety.



TRUSTED WORLDWIDE
Used in 20+ countries.



FAST DELIVERY
Quick shipping.

WINCH ROPE 8MM

9 METERS WITH CARABINER

Professional-grade winch rope designed for maximum reliability and safety. Fully compatible with all Eurojumper electric winch systems and other standard winch models.



MAXIMUM RELIABILITY

High tensile strength for safe and consistent operation.



UNIVERSAL COMPATIBILITY

Compatible with all Eurojumper winch systems and other standard winches.




SECURE & SAFE

Includes certified steel screw-lock carabiner for secure attachment.



DURABLE & RESISTANT

Built for long-term use with excellent abrasion and weather resistance.



APPLICATION

Ideal replacement or upgrade component for Eurojumper bungee trampoline winches and similar amusement or lifting equipment where precision and reliability matter.



8MM
DIAMETER



DIAMETER
8MM



LENGTH
9
METERS



INCLUDES
1
SCREW-LOCK
STEEL CARABINER



PROFESSIONAL QUALITY

Engineered for commercial use and demanding applications.



CERTIFIED COMPONENTS

All components meet safety standards for peace of mind.



PERFECT FIT

Works seamlessly with Eurojumper electric winches.



BUILT TO LAST

High-quality materials for long service life and reliability.



NOT SURE IF IT FITS YOUR SYSTEM?

Send us photos - we confirm compatibility within 24h.



CONTACT US

We are here to help!

BUILT FOR PROFESSIONALS. TRUSTED WORLDWIDE.

STEELSAFE 981

STEEL SCREW-LOCK CARABINER

REF: 102300900039, 102300900050

High-strength steel carabiner designed for professional use in safety and industrial applications.



HIGH STRENGTH STEEL

Durable steel construction ensures maximum strength and reliability.



SCREW-LOCK SYSTEM

Secure screw-lock mechanism prevents accidental opening and provides extra safety.



ANTI-CORROSION

Anti-corrosion treatment with 120-hour resistance in salt spray.



WIDE OPENING

18 mm opening for easy and quick connections.



TECHNICAL SPECIFICATIONS

STANDARD	EN 362:2004 B
TYPE	B (Basic)
OPENING	18 mm
MATERIAL	Steel
FINISH	Anti-corrosion treatment
CORROSION RESISTANCE	120 hours in salt spray
WEIGHT	237 g (approx.)
MIN. BREAKING STRENGTH	23 kN
REF. SMALL	102300900039
REF. LARGE	102300900050

EU DECLARATION OF CONFORMITY



MANUFACTURER:

IRUDEK 2000 S.L.
Erribera Industrigunea 8A
20150 Aduna, Gipuzkoa, Spain



COMPLIES WITH:

PPE Regulation (EU) 2016/425
EN 362:2004 B



CERTIFICATE NO:

23/5981/01/0161/B



ISSUED BY:

AITEX (0161)



MODULE D SURVEILLANCE:

AITEX (0161)



HIGH STRENGTH

23 kN
Breaking Strength



SECURE

Screw-lock system
for maximum safety



CORROSION

120-hour resistance
in salt spray



WIDE OPENING

18 mm opening
for easy use



CERTIFIED

EN 362:2004 B
CE 0161



MADE IN

SPAIN



IRUDEK SWIVEL

ANTI-TWIST. MAXIMUM RELIABILITY.

Two-part swivel connector designed to prevent rope twisting and ensure smooth rotation in rope systems and rescue equipment.



PREVENTS ROPE TWISTING

Eliminates twisting and tangling for smooth and safe operation.



360° ROTATION

Full rotation under load reduces stress on ropes and connectors.



CERTIFIED SAFETY

CE certified and compliant with EN 354:2010.



PROFESSIONAL GRADE

Built for commercial use in bungee trampolines, rope systems and rescue applications.



STRONG CONSTRUCTION

High-strength aluminium alloy.

SMOOTH ROTATION

Optimized bearing system for effortless 360° rotation.

DURABLE DESIGN

Anodized finish for maximum corrosion resistance.

TECHNICAL SPECIFICATIONS

STANDARD	EN 354:2010
CERTIFICATION	CE 0333
MATERIAL	Aluminium
BREAKING STRENGTH	23 kN
WEIGHT	160 g
ROTATION	360°
ORIGIN	Made in Spain



CE CERTIFIED

Complies with the PPE Regulation (EU) 2016/425
EN 354:2010



Manufacturer:

IRUDEK 2000 S.L.
Erribera Industriegunea 8A
20150 Aduna, Gipuzkoa, Spain



Certificate No:

1019-447/Q/2019



Notified Body (Module D):

VVUÚ, a.s.
Pikartská (1019) 1337/7, 716 07
Ostrava – Radvanice, Czech Republic



PREVENTS ROPE TWISTING

Keeps your system safe and tangle-free.



360° ROTATION

Smooth and reliable under load.



EN 354:2010 CERTIFIED

Tested to the highest safety standards.



PPE CERTIFIED

Compliant with EU 2016/425.



MADE IN SPAIN

Quality you can trust.



BUILT FOR
DAILY
PROFESSIONAL
USE

PROFESSIONAL BUNGEE TRAMPOLINE WINCH

1200 W POWER

A strong and reliable electric winch designed specifically for bungee trampoline systems. Built for smooth lifting, stable performance and daily commercial use.



POWERFUL

1200 W MOTOR

Strong performance for professional bungee trampoline operation.



SMOOTH & STABLE OPERATION

Ensures smooth lifting and lowering with reliable control.



RELIABLE EVERY DAY

Built for regular use in amusement parks, rental businesses and event operations.



PERFECT FIT

Compatible with Eurojumper bungee trampoline systems and other setups.

TECHNICAL DATA

	Voltage	230 V
	Pulling rate with a single rope	300 kg
	Pulling rate with a double rope	600 kg
	Pulling height	12 m / 6 m
	Brake	Automatic
	Turn-off switches	Limit switches and emergency switches
	Remote control	Controlling up and down
	Weight	17,5 kg

IDEAL FOR



Amusement parks and family entertainment centres



Rental companies and mobile operators



Events, fairs and promotions



Replacement or upgrade solution to reduce downtime and keep your attraction running



NOT SURE IF IT FITS YOUR SYSTEM?

Send us photos – we confirm compatibility within 24h.



CONTACT US

We are here to help!



PROFESSIONAL QUALITY

Engineered for commercial use and demanding applications.



TESTED & TRUSTED

Proven components for safety and peace of mind.



FAST SUPPORT

Quick response to keep your business moving.



WORLDWIDE DELIVERY

We deliver to operators in over 20 countries.

BUILT FOR PROFESSIONALS. TRUSTED WORLDWIDE.

COMPATIBILITY SUPPORT

NEED REPLACEMENT PARTS?

Send us photos of your system.

We confirm compatibility within 24h.

WHAT TO SEND

1. A clear photo of the complete system
2. Close-ups of the part and connection points
3. Device model, year and country of operation
4. Required quantity and preferred delivery date

Eurojumper s.c.

**ul. Wroclawska 20,
55-095 Januszkowice, Poland**

VAT number : PL8961430088

**Phone: +48 609 655 895
info@eurojumper.pl**

www.shop.eurojumper.pl

Professional parts, technical support and worldwide delivery.

Specifications, certifications and compatibility must be confirmed for the exact product configuration before ordering.

Product appearance and technical parameters may change as part of continuous product development.

BUILT FOR PROFESSIONALS. TRUSTED WORLDWIDE.